



Notified Body 1020

CERTIFICATE OF CONFORMITY OF THE FACTORY PRODUCTION CONTROL

No. 1020 – CPR - 030056035

In compliance with Regulation (EU) No 305/2011 of the European Parliament and of the Council of 9 March 2011 (the Construction Products Regulation or CPR), this certificate applies to the construction product:

ALMEVA Triple DW50

**Three-layer chimney system with steel flue liner, 50 mm insulation
and a steel outer wall element**

type:

Three-layer chimney system with or without surface treatment and a ventilated 50 mm wide gap in the ceiling:

ALMEVA Triple DW50

| | | |
|-----------|--------------------------|----------------|
| EN 1856-1 | T600 N1 W V2 L50050 G50 | (Ø 80-200 mm) |
| EN 1856-1 | T600 N1 W V2 L50060 G50 | (Ø 250-300 mm) |
| EN 1856-1 | T600 N1 W V2 L50060 G75 | (Ø 350-450 mm) |
| EN 1856-1 | T600 N1 W V2 L50060 G100 | (Ø 500-550 mm) |
| EN 1856-1 | T600 N1 W V2 L50080 G100 | (Ø 600 mm) * |

Three-layer chimney system with or without surface treatment and an insulated gap through the ceiling:

ALMEVA Triple DW50

| | | |
|-----------|--------------------------|----------------|
| EN 1856-1 | T600 N1 W V2 L50050 G100 | (Ø 80-200 mm) |
| EN 1856-1 | T600 N1 W V2 L50060 G100 | (Ø 250-300 mm) |
| EN 1856-1 | T600 N1 W V2 L50060 G150 | (Ø 350-450 mm) |
| EN 1856-1 | T600 N1 W V2 L50060 G200 | (Ø 500-550 mm) |
| EN 1856-1 | T600 N1 W V2 L50080 G200 | (Ø 600 mm) |

ALMEVA Triple DW50

| | | |
|-----------|--------------------------|----------------|
| EN 1856-1 | T450 N1 W V2 L50050 G80 | (Ø 80-200 mm) |
| EN 1856-1 | T450 N1 W V2 L50060 G80 | (Ø 250-300 mm) |
| EN 1856-1 | T450 N1 W V2 L50060 G120 | (Ø 350-450 mm) |
| EN 1856-1 | T450 N1 W V2 L50060 G160 | (Ø 500-550 mm) |
| EN 1856-1 | T450 N1 W V2 L50080 G160 | (Ø 600 mm) |

Three-layer chimney system with or without surface treatment and an insulated gap through the ceiling
(silicone gasket):

ALMEVA Triple DW50

| | | |
|-----------|--------------------------|----------------|
| EN 1856-1 | T200 P1 W V2 L50050 O50 | (Ø 80-200 mm) |
| EN 1856-1 | T200 P1 W V2 L50060 O50 | (Ø 250-300 mm) |
| EN 1856-1 | T200 P1 W V2 L50060 O75 | (Ø 350-450 mm) |
| EN 1856-1 | T200 P1 W V2 L50060 O100 | (Ø 500-550 mm) |
| EN 1856-1 | T200 P1 W V2 L50080 O100 | (Ø 600 mm) |

(EPDM gasket):

ALMEVA Triple DW50

| | | |
|-----------|--------------------------|----------------|
| EN 1856-1 | T120 P1 W V2 L50050 O50 | (Ø 80-200 mm) |
| EN 1856-1 | T120 P1 W V2 L50060 O50 | (Ø 250-300 mm) |
| EN 1856-1 | T120 P1 W V2 L50060 O75 | (Ø 350-450 mm) |
| EN 1856-1 | T120 P1 W V2 L50060 O100 | (Ø 500-550 mm) |
| EN 1856-1 | T120 P1 W V2 L50080 O100 | (Ø 600 mm) |

placed on the market under the name or trade mark of

Almeva East Europe s.r.o.

664 43 Želešice, Družstevní 501, IČO: 283 03 156, CZ

and produced in the manufacturing plant

Almeva East Europe s.r.o., 664 43 Želešice, Družstevní 501

This certificate attests that all provisions concerning the assessment and verification of constancy of performance described in Annex ZA of the standard

EN 1856-1:2009

under system 2+ are applied and that

the factory production control is assessed to be in conformity with the applicable requirements.

This certificate was first issued on **December 11, 2017** and will remain valid as long as neither the harmonised standard, the construction product, the AVCP methods nor the manufacturing conditions in the plant are modified significantly, unless suspended or withdrawn by the notified factory production control certification body.

Plzeň, **August 23, 2019**

The stamp of the Notified Body 1020

Ing. Alexander Trinner

Deputy manager of the Notified Body 1020